



Dissolved Oxygen in Long Island Sound Bottom Waters




| Dissolved Oxygen | Severity of Impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |

Dissolved Oxygen in Long Island Sound Bottom Waters




| Dissolved Oxygen | Severity of impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |


Dissolved Oxygen in Long Island Sound Bottom Waters



| Dissolved Oxygen | Severity of impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |




Dissolved Oxygen in Long Island Sound Bottom Waters




| Dissolved Oxygen | Severity of impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |


Dissolved Oxygen in Long Island Sound Bottom Waters



Dissolved Oxygen in Long Island Sound Bottom Waters




Dissolved Oxygen in Long Island Sound Bottom Waters




| Dissolved Oxygen | Severity of Impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |

Dissolved Oxygen in Long Island Sound Bottom Waters



| Dissolved Oxygen | Severity of impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |

Dissolved Oxygen in Long Island Sound Bottom Waters



| Dissolved Oxygen | Severity of Impact |
|------------------|---------------------------------------|
| 0.0 - 0.99 mg/L | Severe |
| 1.0 - 1.99 mg/L | Moderately severe |
| 2.0 - 2.99 mg/L | Moderate |
| 3.0 - 3.49 mg/L | Marginal |
| 3.5 - 4.79 mg/L | Interim management goal |
| 4.8 + mg/L | Excellent - Supportive of marine life |